



BỘ SƯU TẬP

COLORBODY

800 x 2400 mm

2023



2023 COLLECTION

FTILES


There are no
limits to space,
there are no
limits to design.




Exemplify
the flair
of artistry
at your
routine



F T I L E S



ONE OF THE MOST COMPLETE
11 Colours
RANGE OF FULLBODY
ON THE MARKET



Instill the verve and vivacity of details

There are so many materials inspirations and colours to be combined, and the results are original and surprising every time. Tiles with marble, concrete, stone effects can easily be combined with no laying difficulties.

**80X
240
CM**



There are no
limits to space,
there are no
limits to design.

Features



Lowest maintenance



Antibacterial surface



Water resistant



Impact resistant



Frost resistant



Stain resistant



Fire resistant



Heat resistant



Resistant to bending

15^{MM}
THICKNESS



Application



Kitchen countertop



Vanity top



Dining table



Wash basin



Table top



Staircase



Door and window frame



Bathtub







Shelves




Floor & Wall



Shower base



Calcatta montreal



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending






800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Statuario Oro



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Calcatta borghini



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Calcatta oro



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Cilvia/white



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Antique white



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Pantagonia



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending




**800
X2400
MM**
80
X240
CM

**FINISH
GLOSSY**

**RANDOM
3**

Colonial white



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Amaron black



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
2

Santiago Azul



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
2

Blue pearl



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Lambradorite



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending





800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
2

Picasso Black



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending





800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Sienna Pearl



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Lambradorite



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
2

Bamboo



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Golden Portoro



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
2

Black dune



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending





800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Azul california



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending




800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Avocado



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Nero Brasiliana



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
2

Nero Persia



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending




800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
3

Silver Portoro



- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
2

Volga Blue



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending



800
X2400
MM
80
X240
CM

FINISH
GLOSSY

RANDOM
2

TECHNICAL SPECIFICATION



TEST DISCIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	VALUES
Deviation in Length	ISO 10545-2	3 1 mm	Ave. + 0.28 mm Ave. - 0.00 mm
Deviation in Width	ISO 10545-2	31 mm	Ave. + 0.21 mm Ave. - 0.00 mm
Deviation in Thickness	ISO 10545-2	3 0.5 mm	Ave. + 0.00 mm Ave. - 0.16 mm
Straightness of Sides	ISO 10545-2	3 0.8 mm	Max. + 0.18 mm Max. - 0.20 mm
Rectangularity	ISO 10545-2	3 0.8 mm	Max. + 0.20 mm Max. - 0.22 mm
Surface Flatness	ISO 10545-2	3 1.8 mm	Max + 0.14 mm Max - 0.00 mm
Surface Quality	ISO 10545-2	Min. 95%	Min. 99%

PHYSICAL PROPERTIES			
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	VALUES
Water Absorption	ISO 10545-3	0.50%	Avg. 0.0606 %
Modulus of Rapture(N/mm2)	ISO 10545-4	min 35	Avg. 43.11 N/mm2
Breaking Strength(N)	ISO 10545-4	>7.5mm	6270.45 N
THERMAL SHOCK RESISTANCE 15/145.C 10cycle	ISO 10545-9	10 cycle, Min	Conform
Co-Efficient of Linear Thermal Expansion	ISO 10545-8	9x10 6 Max	4,84x10 6
Deep Abrasion Resistance	ISO 10545-6	Max 175mm	123mm3
Scratch Hardness of Surface	Is-13630-13	Min 5 Moh's	5 Moh's Scal
Bulk Density (g/cc)		2.2 Min	2.2748g/cc
Moisture Expansion(mm/m)	ISO 10545-10	0.02mm/m max	No Expansion
Impact Resistance-Coefficient of Restitution	ISO 10545-5	0.55 Min.	0.57 Min
Small Colour Differences	ISO 10545-16		No Difference
Resistance to Stain	ISO 10545-14	Min Class-3	Class-5
Lead and Cadium Release in mg/dm2	ISO 10545-15	0.1mg/dm2	0.00mg/dm2

PACKING DETAIL				
SIZE	THICKNESS	NO. OF SLAB/BOX	WEIGHT/BOX	COVERAGE AREA
80x240 cm	1.5 cm	1 Pcs.	69 KG (approx)	20.66 Sq.ft.

CÔNG TY TNHH GẠCH FTILES



1196 Đường 3 tháng 2, Phường 8, Quận 11, TP. HCM



+84 932 915 999



cskh.ftiles@gmail.com



www.ftiles.vn